

Patient care equipments which costing above Rupees one Lac have procured on and after 01.04.2007.

Page No. 1

Equipments purchased up to June 30th, 2014

Sl. no.	Equipment name	Name manufacturer	Name of supplier	Date of purchase	Cost of procurement	Recommended frequency for maintenance (yearly, half yearly, monthly quarterly)	Date of last maintenance check, name of officer supervising	Whether functional or not	If not functional details of action taken
01	Automated chemistry Analyser Olympus Model-AU 680 , Sl. No. 9040286, along with Computer, Printer,U PS 6 KVA & Deioniser	M/s Olympus Optical Co. Ltd. San-Ei Building 22-2 Nishishinjuku 1- Chome Shinjuku-ku,Tokyo, Japan	M/S. Kopran Laboratories (P) Ltd. 60 B, Chowringhee Road,4th Floor, Kolkata-700 020	17.04.2009	Rs.70,11,849/-	Comprehensive Annual Maintenance Contract quarterly	27.06.2014 Dr. S. K. Khanna	Functional	Not applicable
02	Hematology Analyser Model- XT 2000i Sl. No. 13188	M/s Sysmex TOA Medical Electronics Co., Ltd., P O Box 1002, Kobe Central Post Office, 650-91	M/s Indian Instruments Mfg. Co., 208, Bipin Behary Ganguly Street Kolkata- 700 012	23.03.2009	Rs.29,98,977/-	Annual Maintenance Contract quarterly	25.04.2014 Dr. S. K. Khanna	functional	Not applicable
03	Q B C Malaria Detection System	M/s QBC Diagnostics Beradford Drive Port Matilda	M/s Lilac Medicare Pvt. Ltd.,8,Sungold, 303 Sher-E-Panjab, Mahakali Coves Road, Andheri (EAST) Mumbai	14.03.2011	Rs. 3,78,040/-	Comprehensive Annual Maintenance Contract quarterly	03.07.2014 Dr. S. K. Khanna	functional	Not applicable
04.	Computerized X-ray Machine with Fuji computed Radiography System	M/s Shimadzu Corporation, 1, Nishinokyo-Kuwabaracho Nakagyo-Ku, Kyoto, 6048511, Japan	M/s Shimadzu Medical (India) Pvt. Ltd., 4th Floor, Devi Market, 83 S.P.Mukharjee Road, Kolkata	17.3.2010	Rs. 65,75,920/-	Annual Maintenance Contract quarterly	07.10.2013 Dr. Indu Bhushan Kumar	Functional	Not applicable
05.	Transcranial Magnetic Stimulation System	M/s Magstim Company Limited, Spring Gardens, Whitland, Carmarthshire, SA34 OGR, Wales, UK	M/s Hospimedica International Ltd. Leelwanti House 58/1, Ashok Nagar New Delhi	27.12.2010	Rs. 41,91,426/-	Annual Maintenance Contract quarterly	02.05.2014 Dr. V. K. Sinha	Functional	Not applicable
06.	Urine Chemistry Analyzer	M/s Roche Diagnostics Ltd. Switzerland	M/s Indian Instruments Mfg. Co., 208, Bipin Behary Ganguly Street Kolkata- 700 012	16.03.2012	Rs. 3,40,340/-	Comprehensive Annual Maintenance Contract quarterly	10.03.2014 Dr. S. K. Khanna	Non-functional	Under process
07.	Elisa Reader Make-Erba Model- Lisa Scan EM. Sl. No. 120204	M/s Erba/Transasia Bio-Medicals, Mumbai	M/s Indian Instruments Mfg. Co., 208, Bipin Behary Ganguly Street Kolkata- 700 012	18.05.2012	Rs.1,74,408/-	Annual Maintenance Contract quarterly	10.07.2013 Dr. S. K. Khanna	functional	Not applicable
08.	Computerised ECT Machine (Ultra Brief Pulse) Model-Spectrum 5000 QSI. No. 12093 5000Q along with Computer and Printer	M/s Mecta Corporation, USA	M/s Hospimedica International Ltd. Leelwanti House 58/1, Ashok Nagar, New Delhi	19.06.2012	Rs. 22,11,303/-	Annual Maintenance Contract quarterly	02.05.2014 Dr. Indu Bhushan Kumar	functional	Not applicable
09.	Computerised ECG Machine along with Computer , Printer and UPS	M/s Schiller, Switzerland	M/s Sreenath Engineering Co., Kolkata	30.03.2011	Rs. 4,33,000/-	Comprehensive Annual Maintenance Contract quarterly	27.11.2013 Dr. V.K.Sinha	Functional	Not applicable

Cont. Page No. 2

10.	ENMG/Evoked Potentials system with computer and accessories	M/s Neurosoft Ltd. Russia, 5 Voronina Str., Ivanovo, 153032, Russia,	M/s Medilife Technologies, K-65A, L.G.F., Kalkaji, New Delhi	01.11.2013	Rs.16,16,181/-	Under warranty up to 31.10.2014	Dr. V.K.Sinha	Functional	Not applicable
11.	Fully Automated Chemiluminescence (Immunoassay Analyzer) Machine Make: Abbott Model: Architect i1000	M/s Abbott Laboratories Diagnostic Division, Abbott Park, IL 60064, USA	M/s Zeal India Chemicals, Kesri Complex, Opposite Arya Samaj Mandir, S.N. Road, Upper Bazar, Ranchi	23.03.2013	Rs.25,20,000/-	Comprehensive Annual Maintenance Contract quarterly	06.06.2014 Dr. S. K. Khanna	Functional	Not applicable
12.	Fully Automated Hematology Analyzer Make: Abbott Model: Cell Dyn Ruby SNo. 54021 BG	M/s Abbott Laboratories Diagnostic Division, Abbott Park, IL 60064, USA	M/s Zeal India Chemicals, Kesri Complex, Opposite Arya Samaj Mandir, S.N. Road, Upper Bazar, Ranchi	23.03.2013	Rs. 29,40,000/-	Under warranty up to 22.03.2014	Dr. S. K. Khanna	Functional	Not applicable
13.	Chapatti Making Machine (Model: S.S. – 02 (Fully Stainless Steel)	M/s. SunshineIndustries, C-405, Sector-10, Noida-201301 (U.P)	M/s. Industrial Machine Corp., D-21B, Sainik Market, Main Road, Ranchi – 834001, Jharkhand.	06.11.2013	Rs. 7,58,100/-	Under warranty up to 05.11.2014	Dr. P. Kachhap	Functional	Not Applicable
14.	Film Lamination machine (Make: Chetan)	M/s. Chetan Engineering Works, 35, Street No. 4, Gokal Ka Bagh, 100 feet Road, Amritsar	M/s. Industrial Machine Corp., D-21B, Sainik Market, Main Road, Ranchi – 834001, Jharkhand.	21.11.2013	Rs. 2,53,050/-	Under warranty up to 20.11.2014	Dr. P. Kachhap	Functional	Not Applicable

fn- & 01-04-2007 dks ;k mlds ckn ,d yk[k :- ewY; Is Åij vf/kizklr ejhtksa ds ns[kHkky Is lacaf/kr midj.k %&

i" B 1

31 twu] 2014 rd [kjhns x, midj.k

Øe la-	midj.k dk uke	fuekZrk dk uke	vkifwfrZdUkkZ dk uke	Ø; dh rkjh[k	vf/kizklr dk ewY;	vuqj{k.k gsrq laLrqr vko'fUk ¼ Okf"kZd] v/kZokf"kZd] frekgh] ekfld½	vuqj{k.k tkjp dh vafre rkjh[k] fujh{k.k djus okys inkf/kdkjh dk uke	D;k lfØ; gS ;k ugha	;fn fuf'Ø; gS rks] dh xbZ dkjZokbZ dk fooj.k
01-	vkWVksesVsM dsfeLV ^{ah} ,ukykbttj vksfyEil] eksMy&,- ;w- 680] Øe la[:k 9040286] dEI;wVj] fizaVj] ;w-ih,-,l- 6 ds-oh,-, ,oa fM;ksukbttj ds lkFk	esllZ vksfyEil vkWfIVdy da- fy- ISu&bZ-vkbZ- fcYMhax 22&2 fuf"kf"kutqdq 1& dkse f"kutqdq&dq] Vksd;ks] tkiku	esllZ dkslkjku yscksjsV ^{ah} izk- fy- 60 ch] pkSjxh jksM] pkSFkk rYyk] dksydkrk	17-04-2009	:- 70]11]849@&	O;kid Okf"kZd vuqj{k.k lafonk ¼lh,- ,e-lh-½ & frekgh	27 06- 2014 Mk- ,l- ds- [kUuk	lfØ;	Ykkxw ugha
02-	:f/kjfoKku fo"ys'kd eksMy&XT 2000i] Øe la- & 13188]	esllZ flLesDI Vh-vks,-, esfMdy bysDV ^{aksfu} DI da- fy-) ih-vks- ckWDI&1002]dkscs lsUV ^{ay} iksLV vkWfQI]650&91	esllZ bafM;u balV ^{awesa} V-l eSUIwQSDpfjx da-] 208 fcfiu fcgkjh xkaxqyh LV ^{ah} V]+ dksydkrk&700012	23-03-2009	:- 29]98]977@&	Okf"kZd vuqj{k.k lafonk ¼,-,e-lh-½ & frekgh	03-07-2014 MkW- ,l- ds- [kUuk	lfØ;	Ykkxw ugha
03-	D;w-ch-lh- eysfj;k fMVsdIu flLve	esllZ D;w-ch-lh- Mk;XuksLfVDI fcjMQksMZ M ^{akbo} iksVZ efVYMk	esllZ fyySd esfMds;j izk0 fy0 8]luxksYM] 303 "ksjs&iatkc egkdqyh dkWOI jksM] va/ksjh¼iw0½ eqEcbZ	14-03-2011	:- 3]78]040@&	O;kid Okf"kZd vuqj{k.k lafonk ¼lh,- ,e-lh-½ & frekgh	03- 07- 2014 MkW- ,l- ds- [kUuk	lfØ;	Ykkxw ugha
04-	dEI;wVjkbTM ,DI&js e"khu] Qwth dEI;wVsM jsfM;ksxzqH flLve ds lkFk	esllZ f"kekn~tw dkWjksjs"ku] 1] fuf"kuksD;ks&dqvcjkpkps ukdkX;ks &dq] D;ksVks] 6048511] tkiku	esllZ f"kekn~tw esfMdy ¼bafM;k½ izk0 fy0]pkSFkk rYyk] nsok eksdZV] 83 ,l- ih- eq[kTkH Z jksM] dksydkrk	17-03-2010	:- 65]75]920@&	Okf"kZd vuqj{k.k lafonk ¼,-,e-lh-½ & frekgh	07.10.2013 Mk- bUnwHkw'k.k dqekj	lfØ;	Ykkxw ugha
05-	V ^{akal} ØSfu;y eSXusfVd LVheqys"ku flLve	esllZ eSXIVhe da- fy- flizax xkjMsal] fOgVyS.M] dkjekFkZu"kk;j] ,l- , - 34 vks-th-vkj-] osYI] ;w-ds-	esllZ gksLihsfMdk baVjus"ku y fy-) yhykoarh gkml 58@1] v"kkds uxj] ubZ fnYyh	27-12-2010	:- 41]91]426@&	Okf"kZd vuqj{k.k lafonk ¼,-,e-lh-½ & frekgh	02-05-2014 Mk- oh- ds- flUgk	lfØ;	Ykkxw ugha
06-	;wjhu dsfeLV ^{ah} ,ukykbttj	esllZ jkspS Mk;XuksfLVd fy-) LohV~tjySaM	esllZ bafM;u balV ^{awesa} V-l eSUIwQSDpfjx da-] 208 fcfiu fcgkjh xkaxqyh LV ^{ah} V]+	16-03-2012	:- 3]40]340@&	O;kid Okf"kZd vuqj{k.k lafonk ¼lh,- ,e-lh-½ &	10-03-2014 Mk- ,l- ds- [kUuk MkWO ehjk	vfØ;k'khy	izfØ;k ds v/khu

			dksydkrk&700012			frekgh			
07-	,fytk jhMj] fuekZ.k& bjck ekWMy& fytkLdSu b- ,e] Øe la0 120204	esllZ bjck@V ^a kUlkfl;k ck;ksefMdYl] eqEcbZ	esllZ bafM;u balV ^a wesaV~l eSUIwQSDpfjax da-] 208 fcfiu fcgkjxkxaxqyh LV ^a hV]+ dksydkrk&700012	18-05-2012	:- 1]74]408@&	Okf"KZd vuqj{k.k lafonk ¼,-,e-lh ½ izfØ;k ds v/khu	10.07.2013 Mk- ,l- ds- [kUuk	lfØ;	Ykkxw ugha
08-	dEl;wVjkbTM bZ-lh-Vh-e"khu¼vYV ^a k fczQ iYl½ ekWMy& LisDV ^a e 5000 D;w Øe la0 120935000 D;w dEl;wVj vkSj fizaVj ds lkFk	esllZ esDVk dkWjksjs"ku] ;w-,l,-	esllZ gksLihesfMdk baVjus"kuY fy-] yhykoarh gkml 58@1] v"kkds uxj] ubZ fnYyh	19-06-2012	:- 22]11]303@&	Okf"KZd vuqj{k.k lafonk ¼,-,e-lh-½ & frekgh	27.02.2014 Mk- bUnw Hkw"K.k dqekj	lfØ;	Ykkxw ugha
09-	dEl;wVjkbTM bZ-lh-th-e"khu dEl;wVj] fizaVj vkSj ;w-ih-,l-ds lkFk	esllZ fLdyu] LohVtjySaM	esllZ JhukFk bathfu;jifjax] dksydkrk	30.03.2011	:-4,33, 000/-	O;kid Okf"KZd vuqj{k.k lafonk ¼lh-, ,e-lh-½ & frekgh	27-11-2013 Mk- oh- ds-flUgk	lfØ;	Ykkxw ugha
10-	bZ-,u-,e-th@bZoksDM iksVsuf"K;y fLLVe dEl;wVj ,oa lGk;d lkexzh ds lkFk	esllZ U;wjks"kkWQ~V fy0] #l]	esllZ esMhykbQ VsDuksykWftl] ubZ fnYyh	01.11.2013	:-16,16,181/-	fn- 31.10.2014 rd okjaVh ds v/khu	Mk- oh- ds-flUgk	lfØ;	Ykkxw ugha

D'I;k ns[ksa i' "B -----2

i' "B 2

11-	iwjh rjg ls LpkpkfyrdsehyqfeuhlsUl bZE;wuksls fo"ys"kd e"khu	esllZ ,ckWV yScksjsVksfjt MkbZxuksfLVd "kk[kk] ,ckWV ikdZ] vkbZ- ,u-60064]] ;w-,l-,	esllZ t+hy bf.M;k dsfedyl] vij cktkj] jkaph	23.03.2013	:-25,20,000/-	O;kid Okf"KZd vuqj{k.k lafonk ¼lh-, ,e-lh-½ & frekgh	fn0 06-06-2014 Mk,l- ds- [kUuk	lfØ;	Ykkxw ugha
12-	iwjh rjg ls Lpkpkfyrd:kjfoKku fo"ys"kd e"khu fuZekrk% ,ckWV] ekWMy & Mkbu :ch- dze la0 54021 chth	esllZ ,ckWV yScksjsVksfjt MkbZxuksfLVd "kk[kk] ,ckWV ikdZ] vkbZ- ,u-60064]] ;w-,l-,	esllZ t+hy bf.M;k dsfedyl] vij cktkj] jkaph	23.03.2013	:- 29,40,000/-	fn- 22.03.2014 rd okjaVh ds v/khu	Mk,l- ds- [kUuk	lfØ;	Ykkxw ugha
13-	pikrh cukus dh e"khu ekWMy ,l-,l- &02] iwjh rjg ls LVhy ls fufeZr	esllZ lulkbZu b.MLV ^a ht. lsDVj-10] uks,Mk&201301] ;w-ih-	esllZ b.MLV ^a h;y e"khu dkWiZ-] ISfud ekdsZV]] jkaph	06.11.2013	:-7, 58100/-	fn- 05.11.2014 rd okjaVh ds v/khu	Mkih- dPNi	lfØ;	Ykkxw ugha

14-	fQYe ySfeus'ku e'khu	esllZ psru bathuh;fjax odZl] iFk la-0&4] xksdy dk ckx] 100 QhV jksM] ve' rjj	esllZ b.MLV ^a h;y e"khu dkWiZ-] ISfud ekdsZV]] jkaph	21.11.2013	:-253050/-	fn- 20.11.2014 rd okjaVh ds v/khu	Mk ih- dPNi	lfØ;	Ykkxw ugha
-----	----------------------	--	---	------------	------------	---	-------------	------	---------------